



Eliminator™

Vinyl-Liner Algaecide

ACTIVE INGREDIENT:
 Copper as elemental*:7.41%
 INERT INGREDIENTS:92.59%
 TOTAL:100.00%
 Contains 0.72 lb. of elemental copper per gallon.
 * From Mixed Copper Ethanolamine Complexes.

KEEP OUT OF REACH OF CHILDREN
CAUTION: See other precautions and
 first aid on back panel.

Fast-Acting
**Kills & Prevents Swimming
 Pool Algae**

NET CONTENTS
32 FL. OZ (946 ml)

CHEMICAL HAZARDS

Do not mix this algaecide with soap or other cleaners. Do not premix with other water treating chemicals. These chemicals must be handled separately.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Dilute the appropriate amount of product with at least nine parts water and pour directly into pool along the edges while the filter and pump are in operation. To allow time for even distribution in pool water, bathers must allow 10 minutes after treatment before entering pool.

INITIAL APPLICATION: Free of Visible Algae/Start of Season: Apply 2 oz of this product per 5000 gallons of pool water (or equivalent) under sunny conditions for most effective results.

If Algae Growth is Visible: Apply initial dose, then vacuum pool after 24 hours to remove dead algae. If pool is heavy with algae growth, first brush algae spots, vacuum, clean and scrub the pool walls. Apply initial dose, then vacuum remaining algae debris.

MAINTENANCE DOSE: Apply 1 oz of product per 5000 gallons of pool water (or equivalent) every 5 to 7 days. Note: After heavy or prolonged rainfall, high prevailing temperatures, or heavy swimming use, add the maintenance dose more frequently.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID:

IF SWALLOWED: Call a poison control center immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Store in original container in cool, dry place. Nonrefillable container. Do not reuse or refill this container. Wrap and put in trash or offer for recycling, if available.

Distributed by:
Blue Wave Products
 St. Charles, Illinois
 60174
 1-800-759-0977

EPA Reg. No. 46043-26-63084
 EPA Est. No. 46043-FL-1

REV102909

32 oz.

30 oz.

28 oz.

26 oz.

24 oz.

22 oz.

20 oz.

18 oz.

16 oz.

14 oz.

12 oz.

10 oz.

8 oz.

6 oz.

4 oz.

2 oz.

MATERIAL SAFETY DATA SHEET

Date Issued: 07/14/2008
MSDS No: Blue Wave Eliminator
Date Revised: 08/15/2011
Revision No: 3

Blue Wave Eliminator

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Blue Wave Eliminator

GENERAL USE: Algaecide

DISTRIBUTOR

Blue Wave Products
 1745 Wallace Ave # B
 St Charles, IL 60174

Product Stewardship: (800) 579-0977

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

IMMEDIATE CONCERNS: Corrosive to eyes.

POTENTIAL HEALTH EFFECTS

EYES: Causes eye burns.

SKIN: Not expected to be irritating to the skin. Not expected to be toxic from dermal contact.

INGESTION: Harmful if swallowed. Causes digestive tract burns.

INHALATION: May cause irritation to mucous membranes and respiratory tract.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

CHRONIC EFFECTS: No known or reported effects to humans from repeated exposure to the product.

CARCINOGENICITY: Not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: Not known or reported to cause reproductive or developmental toxicity.

SENSITIZATION: Not expected to be a skin sensitizer.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS	EINECS
Basic Copper Carbonate	12069-69-1	235-113-6
Citric Acid	77-92-9	201-069-9
Ethanolamine	141-43-5	205-483-3
Triethanolamine	102-71-6	203-049-8

MATERIAL SAFETY DATA SHEET

Date Issued: 07/14/2008
MSDS No: Blue Wave Eliminator
Date Revised: 08/15/2011
Revision No: 3

Blue Wave Eliminator

4. FIRST AID MEASURES

EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: Product is not flammable. Not combustible. Not classified as pyrophoric. Not explosive.

FLAMMABLE LIMITS: 0 to 0

EXTINGUISHING MEDIA: Carbon dioxide, foam and dry chemical.

HAZARDOUS COMBUSTION PRODUCTS: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

EXPLOSION HAZARDS: Will not burn.

FIRE FIGHTING PROCEDURES: Use water spray to cool unopened containers.

FIRE FIGHTING EQUIPMENT: Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Contain spillage and then collect with non-combustible absorbent material (such as sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: This material is soluble in water. If the product contaminates rivers and lakes or drains, inform respective authorities.

LAND SPILL: After removal, flush contaminated area thoroughly with water. Avoid runoff into storm sewers and ditches which lead to waterways.

7. HANDLING AND STORAGE

HANDLING: Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing vapors, mist or gas.

STORAGE: Store in a cool, dry, well-ventilated area away from incompatible materials. Do not freeze.

MATERIAL SAFETY DATA SHEET

Date Issued: 07/14/2008
MSDS No: Blue Wave Eliminator
Date Revised: 08/15/2011
Revision No: 3

Blue Wave Eliminator

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Chemical resistant goggles.

SKIN: Impervious gloves.

RESPIRATORY: Wear a NIOSH approved respirator if levels above the exposure limits are possible. A NIOSH approved air purifying respirator with organic vapor cartridge and P95 particulate filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten times the published limit.

PROTECTIVE CLOTHING: Impervious clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Mild.

APPEARANCE: Blue viscous liquid.

pH: 9.7 to 10.3

VAPOR PRESSURE: Not Determined

BOILING POINT: (212 °F)

FLASHPOINT AND METHOD: Product is not flammable. Not combustible. Not classified as pyrophoric. Not explosive.

SPECIFIC GRAVITY: 1.190 to 1.210

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions.

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Heat, flames and sparks.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides, nitrogen oxides (NOx), Hydrogen chloride

INCOMPATIBLE MATERIALS: Avoid strong acids and nitrates.

11. TOXICOLOGICAL INFORMATION

ACUTE

NOTES: This products is corrosive to the eyes, non-irritating to the skin and upon inhalation, may cause irritation to mucous membranes and respiratory tract.

EYE EFFECTS: Corrosive to eyes.

SKIN EFFECTS: Not expected to be irritating to skin.

SENSITIZATION: Not known or reported to be a skin or respiratory sensitizer.

MATERIAL SAFETY DATA SHEET

Date Issued: 07/14/2008
MSDS No: Blue Wave Eliminator
Date Revised: 08/15/2011
Revision No: 3

Blue Wave Eliminator

REPRODUCTIVE EFFECTS: Not known to cause reproductive toxicity.

MUTAGENICITY: Non-mutagenic.

COMMENTS: None available.

12. ECOLOGICAL INFORMATION

GENERAL COMMENTS: Toxic to fish and other aquatic organisms.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with applicable local, state, and federal regulations.

RCRA/EPA WASTE INFORMATION: This product does meet the criterial of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Corrosive Liquid N.O.S. (Copper Triethanolamine Complex)

PRIMARY HAZARD CLASS/DIVISION: 8

UN/NA NUMBER: UN 1760

PACKING GROUP: III

OTHER SHIPPING INFORMATION: DOT exception 173.154 - this product qualifies as a Limited Quantity when inner packaging does not exceed 1 gallons.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Not listed.

FIRE: No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

313 REPORTABLE INGREDIENTS: Diethanolamine: Deminimis concentration value < 1% by weight

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA RQ: Diethanolamine: 100 lbs.

STATES WITH SPECIAL REQUIREMENTS

Chemical Name	Requirements
Triethanolamine	Massachusetts Hazardous Substance

MATERIAL SAFETY DATA SHEET

Date Issued: 07/14/2008
MSDS No: Blue Wave Eliminator
Date Revised: 08/15/2011
Revision No: 3

Blue Wave Eliminator


16. OTHER INFORMATION

REVISION SUMMARY: This MSDS replaces the 07/22/2011 MSDS. Revised: **Section 2: EMERGENCY OVERVIEW - IMMEDIATE CONCERNS.**

HMIS RATING

HEALTH	<input type="checkbox"/>	3
FLAMMABILITY	<input type="checkbox"/>	0
PHYSICAL HAZARD	<input type="checkbox"/>	1
PERSONAL PROTECTION	<input type="checkbox"/>	

NFPA CODES



MANUFACTURER DISCLAIMER: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).